

**Subject:** Re: HL4638 - HL4639 - HL4640 - HL4641 - HL4642

**Date:** Thursday, 24 January 2013 at 23:05:16 Greenwich Mean Time

**From:** Mike Mew

**To:** [REDACTED]

[REDACTED]

Thank you very much for that. To be honest even I am shocked how woolly and simplistic these answers are. If the Gov are spending £360mill on something them I would expect a more concrete response. As a father asking the initial question you will not have been much enlightened.

It is time for me to review all the papers again in detail and come back to you.

Hope all well.

Mike

Sent from my iPhone

On 23 Jan 2013, at 18:09, [REDACTED] wrote:

To talk through

Begin forwarded message:

**From:** [REDACTED]

**To:** [REDACTED]

**Subject:** HL4638 - HL4639 - HL4640 - HL4641 - HL4642

Dear [REDACTED]

Please find attached the answer to HL4638 - HL4639 - HL4640 - HL4641 - HL4642

Regards,

[REDACTED]

Parliamentary Relations Unit

Assistant Parliamentary Officer

Department of Health

[REDACTED]

The original of this email was scanned for viruses by the Government Secure Intranet virus scanning service supplied by Cable&Wireless Worldwide in partnership with MessageLabs. (CCTM Certificate Number 2009/09/0052.) On leaving the GSi this email was certified virus free.

Communications via the GSi may be automatically logged, monitored and/or recorded for legal purposes.

UK Parliament Disclaimer:

This e-mail is confidential to the intended recipient. If you have received it in error, please notify the sender and delete it from your system. Any unauthorised use, disclosure, or copying is not permitted. This e-mail has been checked for viruses, but no liability is accepted for any damage caused by any virus transmitted by this e-mail.

<HL4638 - HL4639 - HL4640 - HL4641 - HL4642.pdf>